

Pomaderris Features

Flowers – clustered in small cymes mostly grouped into terminal panicles or corymbs, sometimes in head-like clusters



Flowers in terminal pyramidal panicles – *P. brogoensis*




Flowers in compact head-like clusters – *P. eriocephala*



Flowers in leafy panicle – *P. pauciflora*



Flowers in short axillary cymes forming narrow terminal panicles – *P. phyllicifolia* ssp. *ericoides*



Flowers pedicellate in short panicles – *P. prunifolia*



Flowers in loose elongated panicles – *P. aspera*



Flower with spatulate petals – *P. andromedifolia* ssp. *confusa*



Petals auriculate – *P. intermedia*



Petals absent – *P. pallida*

Capsules (dry dehiscent fruit) & Hypanthium (cup-like or tubular structure formed above the ovary with the stamens and perianth parts inserted on the rim)



Capsules glabrous and almost entirely exserted from shortly tomentose hypanthium – *P. angustifolia*



Capsule and hypanthium covered with long rusty hairs over a short whitish or greyish tomentum – *P. betulina* ssp. *actensis*



Capsule and hypanthium sparsely stellate-hairy, capsule sometimes almost glabrous – *P. elliptica*



Capsule covered with long rusty hairs, hypanthium with fewer whitish hairs – *P. eriocephala*



Capsule and hypanthium with long whitish hairs – *P. andrmedifolia* ssp. *confusa*



Capsule and hypanthium with long whitish hairs over a sparse tomentum – *P. sp.* 'Bungonia'